HEALTHY U MEDICAID

PRIOR AUTHORIZATION REQUEST FORM GONADOTROPIN RELEASE HORMONE AGONISTS AND ANTAGONISTS

Eligard[®], Lupron Depot[®], Lupron Depot- Ped[®], Orilissa[®],

Supprelin[®] LA, Zoladex[®]

For authorization, please answer each question and fax this form PLUS chart notes back to the Healthy U Prior Authorization Department.

- For Medical Pharmacy please fax requests to: 801-213-1547
- For **Retail Pharmacy** please fax requests to: 385-425-4052

Failure to submit clinical documentation to support this request will result in a dismissal of the request.

If you have prior authorization questions, please call for Pharmacy Customer Service for assistance at 385-425-5094

Disclaimer: Prior authorization request forms are subject to change in accordance with Federal and State notice requirements.

Date:	Member Name:	ID#:
DOB:	Gender:	Physician:
Office Phone:	Office Fax:	Office Contact:
Height/Weight:		HCPCS Code:

Member must try formulary preferred drugs before a request for a non-preferred drug may be considered. If treatment with preferred products has not been successful, you must submit which preferred products have been tried, dates of treatment, and reason for failure. Reasons for failure must meet the Health Plan medical necessity criteria.

Preferred product is dependent on indication - see below.

Requested Agent: \Box Eligard[®] (leuprolide acetate), \Box Lupron Depot[®] (leuprolide acetate), \Box Lupron Depot- Ped[®] (leuprolide acetate), \Box Zoladex[®] (goserelin), \Box Orilissa (elagolix) 200 mg

Non-Preferred Agents:
Supprelin[®] LA (histrelin),
Orilissa (elagolix) 150 mg

Dosing/Frequency:_____

If the request is for reauthorization, proceed to reauthorization section.				
	Questions	Yes	No	Comments/Notes
	ADVANCED BREAST CANCER			
1.	Does the member have a diagnosis of advanced breast cancer?			Please provide documentation
2.	Is the member ≥18 years of age?			
3.	Is the prescriber an oncologist or endocrinologist?			
4.	Is the request for the preferred product Zoladex [®] ?			
CENTRAL PRECOCIOUS PUBERTY				
1.	Does the member have a diagnosis of central precocious puberty?			
2.	Is the prescriber a pediatric endocrinologist?			
3.	Does documentation show baseline LH levels and a LH concentration after GnRH stimulation test?			Please provide documentation
4.	Does documentation show a baseline LH/FSH ratio and a LH/FSH ratio after GnRH stimulation test ?			Please provide documentation

5.	Does documentation show the member's baseline bone age is 1 year greater than chronological age?		Please provide documentation
6.	Does documentation include the member's age at onset of secondary sexual characteristics?		Please provide documentation
7.	Does documentation show the member's Tanner Stage is \geq 2?		Please provide documentation
8.	 Have the following diagnoses been ruled out? Adrenal steroid levels for congenital adrenal hyperplasia Beta human chorionic gonadotropin level for chorionic gonadotropin secreting tumor Pelvic/adrenal/testicular ultrasound for steroid secreting tumor CT scan of head to rule out intracranial tumor 		Please provide documentation
9.	Is the request for the preferred product Lupron Depot-Ped [®] or Vantas [®] ?		
	ENDOMETRIOS	SIS	
1.	For endometriosis with inadequate pain control, is the request for the preferred product Lupron Depot [®] or Zoladex [®] ? Imaging confirming the diagnosis is required.		Please provide documentation
2.	For endometriosis with inadequate pain control, if the request is for Orilissa [®] 150 mg, has the member tried and failed Lupron Depot [®] and Zoladex [®] ? Imaging confirming the diagnosis is required.		Please provide documentation
3.	For endometriosis with dyspareunia and inadequate pain control, is the request for Orilissa [®] 200 mg? Imaging confirming the diagnosis is required.		Please provide documentation
4.	Is the requesting provider an OB/GYN?		
5.	Does documentation show a negative pregnancy test?		Please provide documentation
6.	Has the member tried and failed at least two of the		Please provide documentation
	 following: A combination (estrogen-progesterone) contraceptive taken continuously A progestin such as DepoProvera[®] (medroxyprogesterone), Nexplanon[®] (etonogestrel) or Mirena[®] (levonorgestrel) Danazol 		
	ENDOMETRIAL THI	NNING	
1.	Is the member ≥18 years of age?		
2.	Is the requesting provider an OB/GYN?		
3.	Is the requested therapy for dysfunctional uterine bleeding prior to endometrial ablation?		Please provide documentation
4.	Is the request for the preferred product Zoladex [®] ?		
	PROSTATE CAN		
1.	Is the member ≥ 18 years of age?		
2.	Is the requesting prescriber an oncologist or endocrinologist?		
3.	Is the request for the preferred product Eligard [®] ?		
	UTERINE LEIOMYO	I	
1.	Is the request for the preferred product Lupron Depot [®] ? If yes, please complete questions 2 to 4		

2. Is the member \geq 18 years of	of age?			
3. Does the member have a c	liagnosis of uterine leiomyomata			Please provide documentation
requiring option of surgica	l intervention?			
4. Does documentation show	a clinical estimation of the size			Please provide documentation
of uterus or fibroids?				
5. Is the request for Oriahnn [®]	۶.			
If yes, complete questions	s 6 to 11			
	an OB/GYN, or in consultation			
with one?				
	failed Lupron Depot [®] AND at			Please provide documentation
_	therapies unless contraindicated?			
 Combined estrogen-pro 				
 Levonorgestrel-releasir 	ng intrauterine systems			
Tranexamic acid				
8. Does the member have a c	0			Please provide documentation
leiomyomata (fibroid) as s				
9. Does the member have a r				Please provide documentation
10. Has an endometrial biopsy	been performed to rule out			Please provide documentation
endometrial cancer?				
	-score > -2.0 at the lumbar spine,			Please provide documentation
total hip, and femoral necl				
ADOLESCENT GENDER I	DYSPHORIA: SEE PHARM-HU-150 H	ORMONE	THERAP	Y FOR GENDER DYSPHORIA
	REAUTHORIZAT			
	BREAST CANC	ER		
	continued medical need for			Please provide documentation
therapy?				
2. Has the therapy been effe				Please provide documentation
2. Has the therapy been effe	CENTRAL PRECOCIOUS	PUBERTY	/	Please provide documentation
 Has the therapy been effective Is the request for reauthori 	CENTRAL PRECOCIOUS zation of therapy?			
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show 	CENTRAL PRECOCIOUS	PUBERTY	/	Please provide documentation Please provide documentation
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and			Please provide documentation
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 3. Has the member's height volume 	CENTRAL PRECOCIOUS zation of therapy?			
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and			Please provide documentation
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 3. Has the member's height volume 	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from			Please provide documentation
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 3. Has the member's height very baseline? 4. Has the member's bone age 	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from			Please provide documentation Please provide documentation
 2. Has the therapy been effective 1. Is the request for reauthori 2. Does documentation show FSH levels from baseline? 3. Has the member's height very baseline? 4. Has the member's bone age 	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline?			Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline?			Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner			Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner			Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner ^T age if female or ≤13 years of age ENDOMETRIOS			Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms?			Please provide documentation Please provide documentation Please provide documentation Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms?			Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner f age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex®			Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner Fage if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of PROSTATE CAN			Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner Fage if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of PROSTATE CAN			Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner f age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of	PUBERTY I		Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner f age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of PROSTATE CAN ontinued medical need for tive and tolerable?	PUBERTY I		Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner f age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of PROSTATE CAN ontinued medical need for tive and tolerable? UTERINE LEIOMYO	PUBERTY I		Please provide documentation
 Has the therapy been efference of the second second	CENTRAL PRECOCIOUS zation of therapy? suppression of increasing LH and elocity slowed or stabilized from e slowed from baseline? gression of the member's Tanner f age if female or ≤13 years of age ENDOMETRIOS ecurrence of symptoms? epot® (leuprolide) or Zoladex® mber received < 12 months of PROSTATE CAN ontinued medical need for tive and tolerable? UTERINE LEIOMYO	PUBERTY I		Please provide documentation

2. Is the assured for Orighter & AND has the research or resting			Blassa provide desumantation
2. Is the request for Oriahnn [®] AND has the member received			Please provide documentation
< 24 months of therapy months of therapy?			
ADOLESCENT GENDER DYSPHORIA: SEE PHARM-HU-150 H	ORMONE	THERAP	Y FOR GENDER DYSPHORIA
What medications and/or treatment modalities have been tried	in the par	st for this	s condition? Please document
name of treatment, reason for failure, treatment dates, etc.			
Additional information:			
Physician Signature:			

**Failure to submit clinical documentation to support this request will result in a dismissal of the request.*

Policy: PHARM-HU-026 Origination Date: 01/01/2022 Reviewed/Revised Date: 07/31/2023 Next Review Date: 07/31/2024 Current Effective Date: 08/01/2023

Confidentiality Notice

This document and any accompanying document contain confidential information and is intended for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this information is strictly prohibited and the document should be returned to this office immediately. If you have received this facsimile in error, please notify us by telephone immediately and destroy document received.