## **HEALTHY U CHIP**

## PRIOR AUTHORIZATION REQUEST FORM PROMACTA®

For authorization, please answer each question and fax this form PLUS chart notes back to the Healthy U CHIP Prior Authorization Department at 385-425-4052.

Failure to submit clinical documentation to support this request will result in a dismissal of the request.

If you have prior authorization questions, please call for assistance: 385-425-5094								
Dis	sclaimer: Prior Authorization request forms are subject to change in accord	lance w	th Fede	eral and State notice requirements.				
Da	te: Member Name:		ID#:					
DO	OB: Gender:	Gender:		Physician:				
Off	fice Phone: Office Fax:	Office Fax:		Office Contact:				
He	ight/Weight:		I					
preferred products has not been successful, you must submit which preferred products have been tried, dates of treatment, and reason for failure. Reasons for failure must meet the Health Plan medical necessity criteria.  Product being requested: □ Promacta® (eltrombopag) tablets, □ Promacta® (eltrombopag) packets  Dosing/Frequency:								
	If the request is for reauthorization, proceed to	o reaut	horizat	ion section				
			No	Comments/Notes				
	Questions	Yes	INO	Comments/Notes				
	Questions CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC			-				
1.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6			-				
	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?	THROM	IBOCYT	Please provide documentation				
2.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?	THROM	IBOCY1	TOPENIA (ITP)				
	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment	THROM	IBOCYT	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation				
2. 3. 4.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment  CHRONIC HEPATITIS C- ASSOCIATED THR	THROM	IBOCYT	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation				
2. 3.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment	THROM	IBOCYT	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation				
2. 3. 4.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment  CHRONIC HEPATITIS C- ASSOCIATED THR	THROM	IBOCYTOP	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation				
2. 3. 4.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment  CHRONIC HEPATITIS C- ASSOCIATED THR  Does the member have a diagnosis Chronic Hepatitis C-associated thrombocytopenia?  Is the requesting provider a gastroenterologist, infectious	COMBO	CYTOP	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation				
2. 3. 4.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC  Does the member have a diagnosis of chronic or persistent (>6 months) immune/idiopathic thrombocytopenia (ITP)?  Does documentation show a platelet count < 30,000/mcL?  Is the requesting provider a hematologist or oncologist?  Has the member had a trial and failure of corticosteroids?  • Adequate trial is defined as prednisone (0.5 - 2.0 mg/kg/day) or dexamethasone 40mg once daily for 4 days, may be repeated up to 3 times if inadequate response  • Failure is defined as platelet count not increasing to at least 50,000/mcL or continued requirement for steroids after 3 months of treatment  CHRONIC HEPATITIS C- ASSOCIATED THR  Does the member have a diagnosis Chronic Hepatitis C-associated thrombocytopenia?  Is the requesting provider a gastroenterologist, infectious disease specialist, or a hematologist?	ROMBO	CYTOP	Please provide documentation  Please provide documentation  Please provide documentation  Please provide documentation  ENIA  Please provide documentation				

SEVERE APLASTIC ANEMIA							
1.	Does the member have a confirmed diagnosis of Severe Aplastic Anemia?						
2.	Is the requesting provider a hematologist?						
3.	Does documentation show bone marrow cellularity less than 25% or 25-50% if less than 30% of residual cells are hematopoietic?			Please provide documentation			
4.	<ul> <li>Does documentation show at least two of the following?</li> <li>Absolute neutrophil count (ANC) &lt; 500/mL</li> <li>Platelet count &lt; 20,000/mcL</li> <li>Reticulocyte count &lt; 20,000/mcL</li> </ul>			Please provide documentation			
5.	Has the member had a 3-month trial and failure of standard immunosuppressive therapy (e.g. cyclosporine, anti-thymocyte globulin, or cyclophosphamide)?			Please provide documentation			
	PROMACTA PACKETS FOR SUS	PENSIC	N				
1.	Is the member less than 8 years of age?						
2.	Does documentation show the member is unable to swallow or has severe dysphagia preventing the member from taking solid oral medications?			Please provide documentation			
	REAUTHORIZATION	TUDON	1000/7	CODENIA (ITO)			
1.	CHRONIC OR PERSISTENT IMMUNE/IDIOPATHIC Is the request for reauthorization of therapy for ITP?	T T		OPENIA (ITP)			
2.	Has the member responded to therapy, defined as a platelet			Please provide documentation			
۷.	count of at least 50,000/mcL?		Ш	Please provide documentation			
	CHRONIC HEPATITIS C- ASSOCIATED WITH 1	ΓHROM	BOCYT	OPENIA			
1.	Is the request for reauthorization of therapy for Chronic Hepatitis C-associated with thrombocytopenia?						
2.	Has the member responded to treatment, defined as normalization in platelet count and the member continues on interferon therapy for the treatment of chronic hepatitis C?			Please provide documentation			
	SEVERE APLASTIC ANEW	1IA					
1.	Is the request for reauthorization of therapy for severe aplastic anemia?						
naı	<ul> <li>Has the member responded to therapy, defined as at least one of the following?</li> <li>Platelet increase of at least 20,000/mcL above baseline</li> <li>Transfusion independent and stable platelet counts for at least 8 weeks</li> <li>Hemoglobin increase by at least 1.5g/dL</li> <li>Reduction in red blood cell transfusions of at least 4 units for at least 8 weeks</li> <li>Absolute neutrophil count increase of 100% or increase of at least 500/mcL</li> <li>nat medications and/or treatment modalities have been tried in the of treatment, reason for failure, treatment dates, etc.</li> </ul>	ne past	for this	Please provide documentation condition? Please document			
Ad	Additional information:						

Physician's Signature:	
Filysician's Signature.	

\*\* Failure to submit clinical documentation to support this request will result in a dismissal of the request.\*\*

Policy: PHARM-CHIP-060 Origination Date: 07/01/2024 Reviewed/Revised Date: Next Review Date:

Current Effective Date: 07/01/2024

## **Confidentiality Notice**

This document and any accompanying document contain confidential information and is intended for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this information is strictly prohibited and the document should be returned to this office immediately. If you have received this facsimile in error, please notify us by telephone immediately and destroy document received.