## HEALTHY U MEDICAID

## PRIOR AUTHORIZATION REQUEST FORM XOLAIR®

For authorization, please answer each question and fax this form PLUS chart notes back to the Healthy U Prior Authorization Department.

• For Medical Pharmacy please fax requests to: 801-213-1547

• For Retail Pharmacy please fax requests to: 385-425-4052

## Failure to submit clinical documentation to support this request will result in a dismissal of the request.

If you have prior authorization questions, please call for Pharmacy Customer Service for assistance at 385-425-5094

Disclaimer: Prior authorization request forms are subject to change in accordance with Federal and State notice requirements.

Date:	Member Name:	ID#:
DOB:	Gender:	Physician:
Office Phone:	Office Fax:	Office Contact:
Height/Weight:		HCPCS Code:

Member must try formulary preferred drugs before a request for a non-preferred drug may be considered. If treatment with preferred products has not been successful, you must submit which preferred products have been tried, dates of treatment, and reason for failure. Reasons for failure must meet the Health Plan medical necessity criteria.

Dosing/Frequency:

**Note:** for the treatment of nasal polyps see Chronic Rhinosinusitis with Nasal Polyposis (CRSwNP)

If the request is for reauthorization, proceed to reauthorization section

	Questions	Yes	No				Comments/Notes
ASTHMA							
1.	Is the prescribing physici	an an allergist, dermatologist,					
	immunologist, or a pulmonologist?						
2.	. Has the member shown a positive skin test or in vitro reactivity					Pleas	e provide documentation
	to a perennial aeroallergen?						
3.	Has the member been co	ompliant on a high-dose inhale	d				
	corticosteroid with a long-acting inhaled beta-2-agonist for at						
	least 5 months?						
4.	Has the member had ≥2	acute exacerbations in a 12-mo	onth			Pleas	e provide documentation
	period requiring addition	nal medical treatment (emerge	ncy				
	department visits, hospit	alizations, or frequent office v	isits)?				
5.	Does documentation incl	lude a current Asthma Control	Test ≤19?			Pleas	e provide documentation
6.	Are the member's pre-tre	eatment serum IgE levels ≥30 I	U/mL and			Pleas	e provide documentation
	≤700 IU/mL?						
7.	Does documentation incl	lude a predicted FEV1 or PEF?				Pleas	e provide documentation
CHRONIC IDOPATHIC URTICARIA (CIU)							
1.	Has the provider perform	ned a medical evaluation that r	ules out			Pleas	e provide documentation
	other possible causes of	urticaria?					

2. Has the member had a trial and failure of an H1-antihistamine used in combination with an H2-antihistamine?			Please provide documentation				
3. Has the member had a trial and failure of an H1-antihistamine			Please provide documentation				
used in combination with a leukotriene receptor antagonist or							
cyclosporine?							
4. Is the request for dose escalation of Xolair?							
IgE-Mediated Food Aller							
1. Is the prescribing physician an allergist or immunologist?							
2. Is the member aged between 1 and 17 years old?							
<ol><li>Is baseline immunoglobulin (Ig)E level ≥ 30 IU/mL?</li></ol>			Please provide documentation				
4. Does documentation show that the member has experienced			Please provide documentation				
dose-limiting symptoms (e.g. moderate to severe skin, respiratory,							
or GI symptoms) to a single dose of ≤100 mg of peanut protein, or							
≤300 mg protein for each of 2 of the following other 6 foods: milk,							
egg, wheat, cashew, hazelnut, or walnut?							
5. Does documentation show a positive skin test (≥4 mm wheal			Please provide documentation				
greater than saline control) AND in vitro reactivity (IgE $\geq 6$ kUA/L) to							
peanut, or at least two of the following 6 other foods: milk, egg,							
wheat, cashew, hazelnut, walnut?							
6. Does member have an active prescription for an EpiPen?							
7. Does documentation show that Xolair will be used in conjunction							
with a diet that avoids food allergens?							
8. Does member have a history of severe anaphylaxis, eosinophilic							
esophagitis, poorly controlled atopic dermatitis, or poorly controlled							
asthma?							
9. Does documentation show that Xolair <sup>®</sup> will not be used in							
combination with other monoclonal antibody therapy, such as							
Dupixent <sup>®</sup> (dupilumab), Fasenra™ (benralizumab), Nucala <sup>®</sup>							
(mepolizumab), and/or Cingair <sup>®</sup> (reslizumab)?							
REAUTHORIZATION							
1. Is the request for reauthorization of therapy?		$\boxtimes$					
2. Does clinical documentation show continued medical necessity			Please provide documentation				
and that the treatment has stabilized or improved the member's			· · · · · · · · · · · · · · · · · · ·				
condition?							
What medications and/or treatment modalities have been tried in th	ne nast	for this	condition? Please document				
name of treatment, reason for failure, treatment dates, etc.	ic pust						
Additional information:							

\*\* Failure to submit clinical documentation to support this request will result in a dismissal of the request.\*\*

Policy PHARM-HU-079 Origination Date: 01/01/2022 Reviewed/Revised Date: 05/22/2024 Next Review Date: 05/22/2025 Current Effective Date: 06/01/2024

## **Confidentiality Notice**

This document and any accompanying document contain confidential information and is intended for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this information is strictly prohibited and the document should be returned to this office immediately. If you have received this facsimile in error, please notify us by telephone immediately and destroy document received.