

Medical Biosimilar Products

Policy: PHARM-HU-M030

Origination Date: 01/01/2022

Reviewed/Revised Date: 05/18/2022

Next Review Date: 05/18/2023

Current Effective Date: 08/01/2022

Disclaimer:

1. Policies are subject to change in accordance with Federal and State notice requirements.
2. Policies outline coverage determinations for all members and clients of University of Utah Health Plans. Refer to the “Policy” and “Lines of Business” section for more information.
3. This Pharmacy Policy does not guarantee coverage or payment of the service. The service must be a benefit in the member’s plan and the member must be eligible for coverage at the time of service. Additional payment guidelines may be applied that are not included in this policy.

Purpose

To define the conditions under which biosimilar products may be covered under the medical benefit.

Note: For Retail Biosimilar Products see Pharmacy Policy PHARM-HU-012

Medications

1. Preferred agents must have clinical documentation of an adequate trial and failure or contraindication/intolerance before a request for a non-preferred medication may be considered.
2. Non-Preferred medications will be considered if FDA labeling is only for the originator Brand Product.

Product	Preferred 1 st Line	Non-preferred 1 st Line	Non-preferred 2 nd Line
infliximab	Renflexis®		Inflectra®, Remicade®
rituximab	Ruxience®	Truxima®	Rituxan®
bevacizumab	Mvasi™, Zirabev™		Avastin®
trastuzumab	Kanjinti™, Trazimera™	Ogivri®	Herceptin®, Herzuma®

Product	No Prior Authorization Required	Prior Authorization Required	Not Covered
filgrastim	Granix®	Neupogen®	Nivestym®, Zarxio®

pegfilgrastim	Fulphila [®] , Neulasta [®] , Neulasta [®] Onpro, Udenyca [®]	Nyvepria [™] , Ziextenzo [®]	N/A
----------------------	--	--	-----

Policy/Coverage

1. Prior Authorization Criteria

- A. Biosimilar products may be considered medically necessary if the following criteria are met:
- i. The product is approved by the FDA as a biosimilar to the reference product.
 - ii. The member meets criteria for the biosimilar or reference product according to the respective disease state.
 - iii. The biosimilar is cost effective compared to the reference product, in which case it will be preferred over the reference product. If the biosimilar is not considered cost effective compared to the reference product, a trial and failure of or intolerance to the reference product must be documented.
 - iv. The Health Plan reserves the right to require whichever biosimilar is most cost effective.

2. Dosage

- A. Dosing must be in accordance with US Food and Drug Administration (FDA) approved package insert.
- i. The professional provider must supply supporting documentation (i.e., published peer-reviewed literature) in order to request coverage for any dose outside of the Food and Drug (FDA) package insert listed in this policy. For a list of Health Plan-recognized pharmacology compendia, view our policy on off-label coverage for prescription drugs and biologics.
 - ii. Accurate member information is necessary for the Health Plan to approve the requested dose and frequency. If the member's dose, frequency, or regimen changes (based on factors such as changes in member weight or incomplete therapeutic response), the provider must submit those changes to the Health Plan for a new approval based on those changes as part of the precertification process. The Health Plan reserves the right to conduct post-payment review and audit procedures for any submitted claims.

Lines of Business

1. University of Utah Health Plans

- A. Healthy U
- B. Healthy U Integrated

References:

1. Armuzzi A, Fiorino G, Variola A, et al. The PROSIT Cohort of Infliximab Biosimilar in IBD: A Prolonged Follow-up on the Effectiveness and Safety Across Italy. *Inflamm Bowel Dis*. 2018. DOI: 10.1093/ibd/izy264

2. Blackwell K, Gascon P, Krendyukov A, et al. Safety and efficacy of alternating treatment with Ep2006, a filgrastim biosimilar, and reference filgrastim: a phase III, randomized, double-blind clinical study in the prevention of severe neutropenia in patients with breast cancer receiving myelosuppressive chemotherapy. *Ann Oncol.* 2018; 29(1):244-249.
3. Blauvelt A, Lacour JP, Fowler JF, et al. Phase III randomized study of the proposed adalimumab biosimilar GP2017 in psoriasis: impact of multiple switches. *Br J Dermatol.* 2018; 179(3):623-631.
4. Cohen SB, Alonso-Ruiz A, Klimiuk PA, et al. Similar efficacy, safety and immunogenicity of adalimumab biosimilar BI 695501 and Humira reference product in patients with moderately to severely active rheumatoid arthritis: results from the phase III randomised VOLTAIRE-RA equivalence study. *Ann Rheum Dis.* 2018;77(6):914-921.
5. Glintborg B, Sorensen IJ, Loft AG, et al. A nationwide non-medical switch from originator infliximab to biosimilar CT-P13 in 802 patients with inflammatory arthritis: 1-year clinical outcomes from the DANBIO registry. *Ann Rheum Dis.* 2017; 76(8):1426-1431.
6. Jorgensen KK, Olsen IC, Goll GL, et al. Switching from originator infliximab to biosimilar CT-P13 compared with maintained treatment with originator infliximab (NOR-SWITCH): a 52-week, randomized, double-blind, non-inferiority trial. *Lancet.* 2017; 389(10086):2304-2316
7. Radin M, Sciascia S, Roccatello D, Cuadrado MJ. Infliximab Biosimilars in the Treatment of Inflammatory Bowel Diseases: A Systematic Review. *BioDrugs.* 2017; 31(1):37-49
8. Smolen JS, Choe JY, Prodanovic N, et al. Safety, immunogenicity and efficacy after switching from reference infliximab to biosimilar SB2 compared with continuing reference infliximab and SB2 in patients with rheumatoid arthritis: results of a randomised, double-blind, phase III transition study. *Ann Rheum Dis.* 2017;77(2):234-240.
9. Strik AS, van de Vrie W, Bloemsaat-Minekus JPJ, et al. Serum concentrations after switching from originator infliximab to the biosimilar CT-P13 in patients with quiescent inflammatory bowel disease (SECURE): an open-label, multicenter, phase 4 non-inferiority trial. *Lancet Gastroenterol Hepatol.* 2018; 3(6):404-412.
10. Thadhani R, Guilatco R, Hymes J, et al. Switching from Epoetin Alfa (Epoen®) to Epoetin Alfa-Epbx (Retacrit™) Using a Specified Dosing Algorithm: A Randomized, Non-Inferiority Study in Adults on Hemodialysis. *Am J Nephrol.* 2018; 48(3):214-224
11. Weinblatt ME, Baranauskaite A, Dokoupilova E, et al. Switching From Reference Adalimumab to SB5 (Adalimumab Biosimilar) in Patients With Rheumatoid Arthritis: Fifty-Two-Week Phase III Randomized Study Results. *Arthritis Rheumatol.* 2018;70(6):832-840.
12. Renflexis® [package insert]. Whitehouse Station, NJ: Merck Sharp & Dohme Corp. Revised 02/2021. Accessed 08/2021.
13. Ruxience® [package insert]. New York, NY: Pfizer. Revised 05/2020. Accessed 08/2021.
14. Mvasi™ [package insert]. Thousand Oaks, CA: Amgen, Inc. Revised 04/2021. Accessed 08/2021.
15. Zirabev™ [package insert]. New York, NY: Pfizer. Revised 05/2021. Accessed 08/2021.
16. Kanjinti™ [package insert]. Thousand Oaks, CA: Amgen, Inc. Revised 10/2019. Accessed 08/2021.
17. Trazimera™ [package insert]. New York, NY: Pfizer. Revised 11/2020. Accessed 08/2021.
18. Nivestym® [package insert]. Lake Forest, IL: Hospira, Inc. Revised 04/2021. Accessed 08/2021.
19. Nyvepria™ [package insert]. Lake Forest, IL: Hospira, Inc. Revised 04/2021. Accessed 08/2021.

Date	Review, Revisions, Approvals
01/01/2022	Healthy U specific policy created. Separated out from PHARM-M030
05/11/2022	Updated preferred GCSFs products
05/18/2022	Policy reviewed and approved by the P&T Committee. Policy effective 08.01.2022

Disclaimer:

This document is for informational purposes only and should not be relied on in the diagnosis and care of individual patients. Medical and Coding/Reimbursement policies do not constitute medical advice, plan preauthorization, certification, an explanation of benefits, or a contract. Members should consult with appropriate health care providers to obtain needed medical advice, care, and treatment. Benefits and eligibility are determined before medical guidelines and payment guidelines are applied. Benefits are determined by the member's individual benefit plan that is in effect at the time services are rendered.

The codes for treatments and procedures applicable to this policy are included for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

U of U Health Plans makes no representations and accepts no liability with respect to the content of any external information cited or relied upon in this policy. U of U Health Plans updates its Coverage Policies regularly, and reserves the right to amend these policies and give notice in accordance with State and Federal requirements.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from U of U Health Plans.

"University of Utah Health Plans" and its accompanying logo, and its accompanying marks are protected and registered trademarks of the provider of this Service and or University of Utah Health. Also, the content of this Service is proprietary and is protected by copyright. You may access the copyrighted content of this Service only for purposes set forth in these Conditions of Use.

© CPT Only – American Medical Association