

## Orthotic Supplies

Related Policies:

[REIMB-030 Durable Medical Equipment \(DME\) Supplies](#)

[REIMB-020 Custom Diabetic Shoes](#)

[REIMB-027 Myoelectric Prosthetic Components for the Upper Limb](#)

[MP-078 Dynamic Splint Devices](#)

**Policy REIMB-043**

**Origination Date:** 05/28/2025

**Reviewed/Revised Date:** 05/28/2025

**Next Review Date:** 05/28/2026

**Current Effective Date:** 07/28/2025

### Disclaimer:

1. Policies are subject to change in accordance with State and Federal notice requirements.
2. Policies outline coverage determinations for U of U Health Plans Commercial, CHIP and Healthy U (Medicaid) plans. Refer to the "Policy" section for more information.
3. Services requiring prior-authorization may not be covered, if prior-authorization is not obtained.
4. **This Medical Policy does not guarantee coverage or payment of the service. The service must be a benefit in the member's plan and the member must be eligible for coverage at the time of service. Additional payment guidelines may be applied that are not included in this policy.**
5. Provisions and terms of the provider contract may supersede this policy.

### Description:

An orthotic (orthosis) is a rigid or semi-rigid device used to support or align body parts, prevent or correct deformities, protect a body function, improve or restore the function of movable body parts, or assist a dysfunctional joint. Orthotics may redirect or restrict the motion of an impaired body part. Examples of orthotics include braces, splints, and immobilizers.

Orthotics are considered durable medical equipment (DME) and are most often obtained through providers specifically licensed as DME vendors. Some orthotics are complex and require special fittings or customization. Often times these require special training on the part of the provider or patient to use properly.

Others are "off-the-shelf" and are easily distributed and applied to the patient with limited expertise. These "off-the-shelf" and other simple DME orthoses often are used in acute settings and are best distributed by clinicians' at the site of service.

## **Policy Statement and Criteria**

### **1. Commercial Plans/CHIP**

**U of U Health Plans provides coverage for orthotic devices when prescribed by a qualified physician or other qualified health professional and considered medically necessary for therapeutic support, protection, restoration and/or improvement in the function of an impaired body part.**

**U of U Health Plans will NOT cover orthotic devices when used to allow participation in sports related activities.**

#### **Coverage criteria for specialized orthotics:**

**U of U health Plans considers cervical traction equipment medically necessary when the following criteria are met:**

- A. The appropriate use of the selected home cervical traction device has been demonstrated and was tolerated with one of the following:
  - i. Diagnosis of temporomandibular joint (TMJ) dysfunction and has received treatment for TMJ condition;
  - ii. Distortion of the lower jaw and neck anatomy (e.g. radical neck dissection) such that a chin halter is unable to be utilized;
  - iii. The treating physician orders and/or documents the medical necessity for greater than 20 pounds of cervical traction in the home setting.

**U of U health Plans considers hip orthotics medically necessary when ordered by an orthopedist for treatment of, or postoperatively for any of the following indications:**

- A. Total hip arthroplasty revision or complex reconstruction;
- B. Hip labral tear;
- C. Hip disorders in children when used to stabilize the hip and/or to correct and maintain hip abduction.

**U of U health Plans considers lateral replacements due to growth medically necessary in pediatrics for diagnoses such as hip dysplasia with Charcot-Marie-Tooth disease.**

**U of U health Plans will review requests for hip orthotics for hip osteoarthritis in patients who are not surgical candidates on a case by case basis.**

**U of U health Plans considers Legg Perthes orthotics in children medically necessary for use in the treatment for Legg-Calvé-Perthes disease when ordered by an Orthopedist, Physical Therapist or Occupational Therapist.**

**U of U health Plans considers the following prefabricated Ankle-Foot Orthotics (AFO) or Knee-Ankle-Foot Orthotics (KAFO) medically necessary when:**

- A. The AFO is for an ambulatory individual with a weakness or deformity of the foot and ankle requiring stabilization who is expected to have improved function with the use of the device; or
- B. The KAFO is for an ambulatory individual who meets criteria for an AFO (above) and who requires additional knee stability;

**U of U health Plans considers Shoulder, elbow, wrist, hand, finger orthotics medically necessary when ordered immediately post-operative for orthopedic surgeries such as rotator cuff repair, tendon repair, or open reduction and internal fixation (ORIF).**

**Replacement due to normal wear and tear is considered medically necessary when the item is a lateral purchase and the orthotic is still needed; Coverage is based on contract guidelines for replacement DME.**

**U of U health Plans will review orthotic component requests using relevant nationally recognized decision-making support tool criteria.**

**U of U health Plans will review spinal orthotic requests using relevant nationally recognized decision support tool criteria for similar codes.**

**U of U health Plans considers custom orthotic devices not medically necessary if daily activities can be completed with standard devices.** If custom devices are requested, the member's overall medical condition is evaluated to determine necessity. Detailed clinical information is required for coverage consideration of non-standard devices.

**U of U health Plans considers duplicate orthotics not medically necessary, as having more than one device per body part for the same function is seen as a convenience and therefore not covered.**

**U of U health Plans considers the following enhanced orthotic devices investigational and not medically necessary for improving impaired body part function, as there is insufficient evidence for proven effectiveness:**

- A. Electronic/electromagnetic activated stance control KAFO devices (e.g., OttoBock E-Mag Active, OttoBock 17B500 Sensor Walk, OttoBock C-Brace)
- B. Myoelectric and/or power-enhanced upper extremity orthotic devices (e.g., MyoPro arm brace)
- C. Powered exoskeleton orthoses (e.g., ReWalk, EskoNR, Indego personal exoskeletons)

## **2. Medicaid Plans**

**Coverage is determined by the State of Utah Medicaid program; if Utah State Medicaid has no published coverage position and InterQual criteria are not available, the U of U Health Plans Commercial criteria will apply. For the most up-to-date Medicaid policies and coverage, please visit their website at: <https://medicaid.utah.gov/utah-medicaid-official-publications/> or the [Utah Medicaid code Look-Up tool](#)**

**CPT/HCPCS codes covered by Utah State Medicaid may still require further evaluation to determine medical necessity for coverage.**

### **Rationale:**

The American Heart Association/American Stroke Association recommends stroke rehabilitation by a multidisciplinary team, including neurology, rehabilitation nursing, OT, PT, and speech therapy. Robotic and electromechanical devices may aid in gait and upper extremity recovery. Benefits are seen within the first three months post-stroke, especially in non-ambulatory patients, but evidence on their superiority over conventional therapy is mixed.

- Robot-assisted therapy: May improve motor function and mobility when combined with conventional therapy (Recommendation: IIb; Level of evidence: A).
- Mechanically assisted walking: May benefit non-ambulatory or low ambulatory patients early post-stroke (Recommendation: IIb; Level of evidence: A).

Further studies are needed to optimize device use, training protocols, and patient selection. Robotic therapy can enhance ADLs and arm function for those with moderate to severe upper limb impairment but shows minimal difference compared to dose-matched conventional exercise.

Evidence for advanced orthotic technologies such as stance control KAFOs, myoelectric upper limb devices, and powered exoskeletons remains limited, with studies often small, manufacturer-supported, or lacking robust controls. A crossover study (Deems-Dluhy et al., 2021) comparing stance control and microprocessor-controlled KAFOs found improvements in gait and quality of life with the latter, though statistical power was limited by sample size and attrition. For upper limb orthoses, the RATULS trial (Rogers et al., 2020) showed enhanced therapy outperformed robot-assisted training and usual care in post-stroke recovery, while a small MyoPro study (Pundik et al., 2022) suggested potential benefits but lacked a control group. Regarding powered exoskeletons, a systematic review (Tamburella et al., 2022)

of 41 studies in spinal cord injury patients highlighted modest functional gains but noted frequent adverse events and methodological limitations, underscoring the need for higher-quality research to guide clinical use outside rehabilitation settings.

## Applicable Coding

### CPT Codes

No applicable codes

### HCPCS Codes

#### Possibly Covered HCPCS Codes

<b>E0830</b>	Ambulatory traction device, all types, each
<b>E0840</b>	Traction frame, attached to headboard, cervical traction
<b>E0849</b>	Traction equipment, cervical, free-standing stand/frame, pneumatic, applying traction force to other than mandible
<b>E0850</b>	Traction stand, freestanding, cervical traction
<b>E0856</b>	Cervical traction device, with inflatable air bladder(s)
<b>E0860</b>	Traction equipment, overdoor, cervical
<b>K0672</b>	Addition to lower extremity orthotic, removable soft interface, all components, replacement only, each
<b>L0112</b>	Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated
<b>L0113</b>	Cranial cervical orthosis, torticollis type, with or without joint, with or without soft interface material, prefabricated, includes fitting and adjustment
<b>L0120</b>	Cervical, flexible, non-adjustable, prefabricated, off-the-shelf (foam collar)
<b>L0130</b>	Cervical, flexible, thermoplastic collar, molded to patient
<b>L0140</b>	Cervical, semi-rigid, adjustable (plastic collar)
<b>L0150</b>	Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece)
<b>L0160</b>	Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf
<b>L0170</b>	Cervical, collar, molded to patient model
<b>L0172</b>	Cervical, collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf
<b>L0174</b>	Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension, prefabricated, off-the-shelf
<b>L0180</b>	Cervical, multiple post collar, occipital/mandibular supports, adjustable
<b>L0190</b>	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars (SOMI, Guilford, Taylor types)
<b>L0200</b>	Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension
<b>L0220</b>	Thoracic, rib belt, custom fabricated

<b>L0450</b>	Thoracic-lumbar-sacral orthosis (TLSO), flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf
<b>L0452</b>	Thoracic-lumbar-sacral orthosis (TLSO), flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated
<b>L0454</b>	Thoracic-lumbar-sacral orthosis (TLSO) flexible, provides trunk support, extends from sacrococcygeal junction to above T-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0455</b>	Thoracic-lumbar-sacral orthosis (TLSO), flexible, provides trunk support, extends from sacrococcygeal junction to above T-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf
<b>L0456</b>	Thoracic-lumbar-sacral orthosis (TLSO), flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0457</b>	Thoracic-lumbar-sacral orthosis (TLSO), flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf
<b>L0458</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
<b>L0460</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner,

	restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0462</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
<b>L0464</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
<b>L0466</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0467</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf
<b>L0468</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0469</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated, off-the-shelf

<b>L0470</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
<b>L0472</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
<b>L0480</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated
<b>L0482</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated
<b>L0484</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated
<b>L0486</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or CAD-CAM model, custom fabricated



<b>L0488</b>	Thoracic-lumbar-sacral orthosis (TLSO), triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment
<b>L0490</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal-coronal control, one piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the T-9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment
<b>L0491</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
<b>L0492</b>	Thoracic-lumbar-sacral orthosis (TLSO), sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
<b>L0621</b>	Sacroiliac orthosis (SO), flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf
<b>L0622</b>	Sacroiliac orthosis (SO), flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
<b>L0623</b>	Sacroiliac orthosis (SO), provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf
<b>L0624</b>	Sacroiliac orthosis (SO), provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
<b>L0625</b>	Lumbar orthosis (LO), flexible, provides lumbar support, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on

	the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, off-the-shelf
<b>L0626</b>	Lumbar orthosis (LO), sagittal control, with rigid posterior panel(s), posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0627</b>	Lumbar orthosis (LO), sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0628</b>	Lumbar-sacral orthosis (LSO), flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0629</b>	Lumbar-sacral orthosis (LSO), flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated
<b>L0630</b>	Lumbar-sacral orthosis (LSO), sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0631</b>	Lumbar-sacral orthosis (LSO), sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0632</b>	Lumbar-sacral orthosis (LSO), sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated

<b>L0633</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0634</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated
<b>L0635</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment
<b>L0636</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated
<b>L0637</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0638</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
<b>L0639</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by

	overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0640</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated
<b>L0641</b>	Lumbar orthosis (LO), sagittal control, with rigid posterior panel(s), posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0642</b>	Lumbar orthosis (LO), sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0643</b>	Lumbar-sacral orthosis (LSO), sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0648</b>	Lumbar-sacral orthosis (LSO), sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0649</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0650</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, with rigid anterior and posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf

<b>L0651</b>	Lumbar-sacral orthosis (LSO), sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, off-the-shelf
<b>L0700</b>	Cervical-thoracic-lumbar-sacral-orthoses (CTLSO), anterior-posterior-lateral control, molded to patient model (Minerva type)
<b>L0710</b>	Cervical-thoracic-lumbar-sacral-orthoses (CTLSO), anterior-posterior-lateral-control, molded to patient model, with interface material (Minerva type)
<b>L0720</b>	Cervical-thoracic-lumbar-sacral-orthoses (CTLSO), anterior-posterior-lateral control, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L0970</b>	Thoracic-lumbar-sacral orthosis (TLSO), corset front
<b>L0972</b>	Lumbar-sacral orthosis (LSO), corset front
<b>L0974</b>	Thoracic-lumbar-sacral orthosis (TLSO), full corset
<b>L0976</b>	Lumbar-sacral orthotic (LSO), full corset
<b>L0978</b>	Axillary crutch extension
<b>L0980</b>	Peroneal straps, prefabricated, off-the-shelf, pair
<b>L0982</b>	Stocking supporter grips, prefabricated, off-the-shelf, set of four (4)
<b>L0984</b>	Protective body sock, prefabricated, off-the-shelf, each
<b>L0999</b>	Addition to spinal orthosis, not otherwise specified
<b>L1000</b>	Cervical-thoracic-lumbar-sacral orthosis (CTLSO) (Milwaukee), inclusive of furnishing initial orthosis, including model
<b>L1001</b>	Cervical-thoracic-lumbar-sacral orthosis (CTLSO), immobilizer, infant size, prefabricated, includes fitting and adjustment
<b>L1005</b>	Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment
<b>L1006</b>	Scoliosis orthosis, sagittal-coronal control provided by a rigid lateral frame, extends from axilla to trochanter, includes all accessory pads, straps and interface, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1010</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, axilla sling
<b>L1020</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, kyphosis pad
<b>L1025</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, kyphosis pad, floating
<b>L1030</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, lumbar bolster pad
<b>L1040</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, lumbar or lumbar rib pad

<b>L1050</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, sternal pad
<b>L1060</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, thoracic pad
<b>L1070</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, trapezius sling
<b>L1080</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, outrigger
<b>L1085</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, outrigger, bilateral with vertical extensions
<b>L1090</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, lumbar sling
<b>L1100</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, ring flange, plastic or leather
<b>L1110</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO) or scoliosis orthosis, ring flange, plastic or leather, molded to patient model
<b>L1120</b>	Addition to Cervical-thoracic-lumbar-sacral orthosis (CTLSO), scoliosis orthosis, cover for upright, each
<b>L1200</b>	Thoracic-lumbar-sacral-orthosis (TLSO), inclusive of furnishing initial orthosis only
<b>L1210</b>	Addition to Thoracic-lumbar-sacral-orthosis (TLSO), (low profile), lateral thoracic extension
<b>L1220</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), anterior thoracic extension
<b>L1230</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), Milwaukee type superstructure
<b>L1240</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), lumbar derotation pad
<b>L1250</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), anterior asis pad
<b>L1260</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), anterior thoracic derotation pad
<b>L1270</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), abdominal pad
<b>L1280</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), rib gusset (elastic), each
<b>L1290</b>	Addition to Thoracic-lumbar-sacral orthosis (TLSO), (low profile), lateral trochanteric pad
<b>L1300</b>	Other scoliosis procedure, body jacket molded to patient model
<b>L1310</b>	Other scoliosis procedure, post-operative body jacket
<b>L1320</b>	Thoracic, pectus carinatum orthosis, sternal compression, rigid circumferential frame with anterior and posterior rigid pads, custom fabricated
<b>L1499</b>	Spinal orthosis, not otherwise specified

<b>L1600</b>	Hip orthosis, abduction control of hip joints, flexible, Frejka type with cover, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1610</b>	Hip orthosis, abduction control of hip joints, flexible, (Frejka cover only), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1620</b>	Hip orthosis, abduction control of hip joints, flexible, (Pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1630</b>	Hip orthosis (HO), abduction control of hip joints, semi-flexible (Von Rosen type), custom-fabricated
<b>L1640</b>	Hip orthosis (HO), abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom-fabricated
<b>L1650</b>	Hip orthosis (HO), abduction control of hip joints, static, adjustable, (Ilfeld type), prefabricated, includes fitting and adjustment
<b>L1652</b>	Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1653</b>	Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, off the shelf
<b>L1660</b>	Hip orthosis (HO), abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment
<b>L1680</b>	Hip orthosis (HO), abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (Rancho hip action type), custom fabricated
<b>L1681</b>	Hip orthosis, bilateral hip joints and thigh cuffs, adjustable flexion, extension, abduction control of hip joint, postoperative hip abduction type, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1685</b>	Hip orthosis (HO), abduction control of hip joint, postoperative hip abduction type, custom fabricated
<b>L1686</b>	Hip orthosis (HO), abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment
<b>L1690</b>	Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment
<b>L1700</b>	Legg perthes orthosis, (Toronto type), custom-fabricated
<b>L1710</b>	Legg perthes orthosis, (Newington type), custom fabricated
<b>L1720</b>	Legg perthes orthosis, trilateral, (Tachdijan type), custom-fabricated
<b>L1730</b>	Legg perthes orthosis, (Scottish Rite type), custom-fabricated
<b>L1755</b>	Legg perthes orthosis, (Patten bottom type), custom-fabricated

<b>L1810</b>	Knee orthosis (KO), elastic with joints, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1812</b>	Knee orthosis (KO), elastic with joints, prefabricated, off-the-shelf
<b>L1820</b>	Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1821</b>	Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, off the shelf
<b>L1830</b>	Knee orthosis (KO), immobilizer, canvas longitudinal, prefabricated, off-the-shelf
<b>L1831</b>	Knee orthosis (KO), locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment
<b>L1832</b>	Knee orthosis (KO), adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1833</b>	Knee orthosis (KO), adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the shelf
<b>L1834</b>	Knee orthosis (KO), without knee joint, rigid, custom-fabricated
<b>L1836</b>	Knee orthosis (KO), rigid, without joint(s), includes soft interface material, prefabricated, off-the-shelf
<b>L1840</b>	Knee orthosis (KO), derotation, medial-lateral, anterior cruciate ligament, custom fabricated
<b>L1843</b>	Knee orthosis (KO), single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1844</b>	Knee orthosis (KO), single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
<b>L1845</b>	Knee orthosis (KO), double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1846</b>	Knee orthosis (KO), double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
<b>L1847</b>	Knee orthosis (KO), double upright with adjustable joint, with inflatable air support chamber(s), prefabricated item that has been trimmed, bent, molded,



	assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L1848</b>	Knee orthosis (KO), double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, off-the-shelf
<b>L1850</b>	Knee orthosis (KO), swedish type, prefabricated, off-the-shelf
<b>L1851</b>	Knee orthosis (ko), single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf
<b>L1852</b>	Knee orthosis (ko), double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, off-the-shelf
<b>L1860</b>	Knee orthosis (KO), modification of supracondylar prosthetic socket, custom-fabricated (SK)
<b>L1900</b>	Ankle foot orthosis (AFO), spring wire, dorsiflexion assist calf band, custom-fabricated
<b>L1902</b>	Ankle orthosis, ankle gauntlet or similar, with or without joints, prefabricated, off-the-shelf
<b>L1904</b>	Ankle orthosis, ankle gauntlet or similar, with or without joints, custom fabricated
<b>L1906</b>	Ankle foot orthosis, multiligamentous ankle support, prefabricated, off-the-shelf
<b>L1907</b>	Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated
<b>L1910</b>	Ankle foot orthosis (AFO), posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment
<b>L1920</b>	Ankle foot orthosis (AFO), single upright with static or adjustable stop (phelps or perlstein type), custom-fabricated
<b>L1930</b>	Ankle foot orthosis (AFO), plastic or other material, prefabricated, includes fitting and adjustment
<b>L1932</b>	Ankle foot orthosis (AFO), rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment
<b>L1933</b>	Ankle foot orthosis (AFO), rigid anterior tibial section, total carbon fiber or equal material, prefabricated, off-the-shelf
<b>L1940</b>	Ankle foot orthosis (AFO), plastic or other material, custom-fabricated
<b>L1945</b>	Ankle foot orthosis (AFO), plastic, rigid anterior tibial section (floor reaction), custom-fabricated
<b>L1950</b>	Ankle foot orthosis (AFO), spiral, (institute of rehabilitative medicine type), plastic, custom-fabricated
<b>L1951</b>	Ankle foot orthosis (AFO), spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment
<b>L1952</b>	Ankle foot orthosis (AFO), spiral, (Institute of Rehabilitative Medicine-type), plastic or other material, prefabricated, off-the-shelf
<b>L1960</b>	Ankle foot orthosis (AFO), posterior solid ankle, plastic, custom-fabricated

<b>L1970</b>	Ankle foot orthosis (AFO), plastic with ankle joint, custom-fabricated
<b>L1971</b>	Ankle foot orthosis (AFO), plastic or other material with ankle joint, prefabricated, includes fitting and adjustment
<b>L1980</b>	Ankle foot orthosis (AFO), single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar 'BK' orthosis), custom-fabricated
<b>L1990</b>	Ankle foot orthosis (AFO), double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar 'BK' orthosis), custom-fabricated
<b>L2000</b>	Knee ankle foot orthosis (KAFO), single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'AK' orthosis), custom-fabricated
<b>L2005</b>	Knee ankle foot orthosis (KAFO), any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated
<b>L2010</b>	Knee ankle foot orthosis (KAFO), single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'AK' orthosis), without knee joint, custom-fabricated
<b>L2020</b>	Knee ankle foot orthosis (KAFO), double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'AK' orthosis), custom-fabricated
<b>L2030</b>	Knee ankle foot orthosis (KAFO), double upright, free ankle, solid stirrup, thigh and calf bands/cuffs, (double bar 'AK' orthosis), without knee joint, custom fabricated
<b>L2034</b>	Knee ankle foot orthosis (KAFO), full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated
<b>L2035</b>	Knee ankle foot orthosis (KAFO), full plastic, static (pediatric size), without free motion ankle, prefabricated, includes fitting and adjustment
<b>L2036</b>	Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated
<b>L2037</b>	Knee ankle foot orthosis (KAFO), full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated
<b>L2038</b>	Knee ankle foot orthosis (KAFO), full plastic, with or without free motion knee, multi-axis ankle, custom fabricated
<b>L2106</b>	Ankle foot orthosis (AFO), fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom-fabricated
<b>L2108</b>	Ankle foot orthosis (AFO), fracture orthosis, tibial fracture cast orthosis, custom-fabricated
<b>L2112</b>	Ankle foot orthosis (AFO), fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment
<b>L2114</b>	Ankle foot orthosis (AFO), fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment
<b>L2116</b>	Ankle foot orthosis (AFO), fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment
<b>L2126</b>	Knee ankle foot orthosis (KAFO), fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom-fabricated

<b>L2128</b>	Knee ankle foot orthosis(KAFO), fracture orthosis, femoral fracture cast orthosis, custom-fabricated
<b>L2132</b>	Knee ankle foot orthosis(KAFO), fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment
<b>L2134</b>	Knee ankle foot orthosis(KAFO), fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment
<b>L2136</b>	Knee ankle foot orthosis(KAFO), fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment
<b>L2180</b>	Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints
<b>L2182</b>	Addition to lower extremity fracture orthosis, drop lock knee joint
<b>L2184</b>	Addition to lower extremity fracture orthosis, limited motion knee joint
<b>L2186</b>	Addition to lower extremity fracture orthosis, adjustable motion knee joint, lerman type
<b>L2188</b>	Addition to lower extremity fracture orthosis, quadrilateral brim
<b>L2190</b>	Addition to lower extremity fracture orthosis, waist belt
<b>L2192</b>	Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt
<b>L2200</b>	Addition to lower extremity, limited ankle motion, each joint
<b>L2210</b>	Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint
<b>L2220</b>	Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint
<b>L2230</b>	Addition to lower extremity, split flat caliper stirrups and plate attachment
<b>L2232</b>	Addition to lower extremity orthosis, rocker bottom for total contact ankle foot orthosis (AFO), for custom fabricated orthosis only
<b>L2240</b>	Addition to lower extremity, round caliper and plate attachment
<b>L2250</b>	Addition to lower extremity, foot plate, molded to patient model, stirrup attachment
<b>L2260</b>	Addition to lower extremity, reinforced solid stirrup (Scott-Craig type)
<b>L2265</b>	Addition to lower extremity, long tongue stirrup
<b>L2270</b>	Addition to lower extremity, varus/valgus correction ('T') strap, padded/lined or malleolus pad
<b>L2275</b>	Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined
<b>L2280</b>	Addition to lower extremity, molded inner boot
<b>L2300</b>	Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable
<b>L2310</b>	Addition to lower extremity, abduction bar-straight
<b>L2320</b>	Addition to lower extremity, non-molded lacer, for custom fabricated orthosis only
<b>L2330</b>	Addition to lower extremity, lacer molded to patient model, for custom fabricated orthosis only

<b>L2335</b>	Addition to lower extremity, anterior swing band
<b>L2340</b>	Addition to lower extremity, pre-tibial shell, molded to patient model
<b>L2350</b>	Addition to lower extremity, prosthetic type, (BK) socket, molded to patient model, (used for 'PTB' 'AFO' orthoses)
<b>L2360</b>	Addition to lower extremity, extended steel shank
<b>L2370</b>	Addition to lower extremity, Patten bottom
<b>L2375</b>	Addition to lower extremity, torsion control, ankle joint and half solid stirrup
<b>L2380</b>	Addition to lower extremity, torsion control, straight knee joint, each joint
<b>L2385</b>	Addition to lower extremity, straight knee joint, heavy duty, each joint
<b>L2387</b>	Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis (KAFO), each joint
<b>L2390</b>	Addition to lower extremity, offset knee joint, each joint
<b>L2395</b>	Addition to lower extremity, offset knee joint, heavy duty, each joint
<b>L2397</b>	Addition to lower extremity orthosis, suspension sleeve
<b>L2405</b>	Addition to knee joint, drop lock, each
<b>L2415</b>	Addition to knee lock with integrated release mechanism ( bail, cable, or equal), any material, each joint
<b>L2425</b>	Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint
<b>L2430</b>	Addition to knee joint, ratchet lock for active and progressive knee extension, each joint
<b>L2492</b>	Addition to knee joint, lift loop for drop lock ring
<b>L2500</b>	Addition to lower extremity, thigh/weight bearing, gluteal/ ischial weight bearing, ring
<b>L2510</b>	Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, molded to patient model
<b>L2520</b>	Addition to lower extremity, thigh/weight bearing, quadri- lateral brim, custom fitted
<b>L2525</b>	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow M-L brim molded to patient model
<b>L2526</b>	Addition to lower extremity, thigh/weight bearing, ischial containment/narrow M-L brim, custom fitted
<b>L2530</b>	Addition to lower extremity, thigh-weight bearing, lacer, non-molded
<b>L2540</b>	Addition to lower extremity, thigh/weight bearing, lacer, molded to patient model
<b>L2550</b>	Addition to lower extremity, thigh/weight bearing, high roll cuff
<b>L2570</b>	Addition to lower extremity, pelvic control, hip joint, Clevis type two position joint, each
<b>L2580</b>	Addition to lower extremity, pelvic control, pelvic sling
<b>L2600</b>	Addition to lower extremity, pelvic control, hip joint, Clevis type, or thrust bearing, free, each
<b>L2610</b>	Addition to lower extremity, pelvic control,hip joint, Clevis type or thrust bearing, lock, each

<b>L2620</b>	Addition to lower extremity, pelvic control, hip joint, heavy duty, each
<b>L2622</b>	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each
<b>L2624</b>	Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each
<b>L2627</b>	Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables
<b>L2628</b>	Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables
<b>L2630</b>	Addition to lower extremity, pelvic control, band and belt, unilateral
<b>L2640</b>	Addition to lower extremity, pelvic control, band and belt, bilateral
<b>L2650</b>	Addition to lower extremity, pelvic and thoracic control, gluteal pad, each
<b>L2660</b>	Addition to lower extremity, thoracic control, thoracic band
<b>L2670</b>	Addition to lower extremity, thoracic control, paraspinal uprights
<b>L2680</b>	Addition to lower extremity, thoracic control, lateral support uprights
<b>L2750</b>	Addition to lower extremity orthosis, plating chrome or nickel, per bar
<b>L2755</b>	Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment, for custom fabricated orthosis only
<b>L2760</b>	Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth)
<b>L2768</b>	Orthotic side bar disconnect device, per bar
<b>L2780</b>	Addition to lower extremity orthosis, non-corrosive finish, per bar
<b>L2785</b>	Addition to lower extremity orthosis, drop lock retainer, each
<b>L2795</b>	Addition to lower extremity orthosis, knee control, full kneecap
<b>L2800</b>	Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only
<b>L2810</b>	Addition to lower extremity orthosis, knee control, condylar pad
<b>L2820</b>	Addition to lower extremity orthosis, soft interface for molded plastic, below knee section
<b>L2830</b>	Addition to lower extremity orthosis, soft interface for molded plastic, above knee section
<b>L2840</b>	Addition to lower extremity orthosis, tibial length sock, fracture or equal, each
<b>L2850</b>	Addition to lower extremity orthosis, femoral length sock, fracture or equal, each
<b>L2861</b>	Addition to lower extremity joint, knee or ankle, concentric adjustable torsion style mechanism for custom fabricated orthotics only, each
<b>L2999</b>	Lower extremity orthoses, not otherwise specified
<b>L3000</b>	Foot insert, removable, molded to patient model, UCB type, Berkeley shell, each
<b>L3001</b>	Foot, insert, removable, molded to patient model, Spenco, each
<b>L3002</b>	Foot insert, removable, molded to patient model, Plastazote or equal, each
<b>L3003</b>	Foot insert, removable, molded to patient model, silicone gel, each

<b>L3010</b>	Foot insert, removable, molded to patient model, longitudinal arch support, each
<b>L3020</b>	Foot insert, removable, molded to patient model, longitudinal/metatarsal support, each
<b>L3030</b>	Foot insert, removable, formed to patient foot, each
<b>L3031</b>	Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each
<b>L3040</b>	Foot, arch support, removable, premolded, longitudinal, each
<b>L3060</b>	Foot, arch support, removable, premolded, longitudinal/metatarsal, each
<b>L3100</b>	Hallus-valgus night dynamic splint, prefabricated, off-the-shelf
<b>L3140</b>	Foot, abduction rotation bar, including shoes
<b>L3150</b>	Foot, abduction rotation bar, without shoes
<b>L3160</b>	Foot, adjustable shoe-styled positioning device
<b>L3161</b>	Foot, adductus positioning device, adjustable
<b>L3170</b>	Foot, plastic, silicone or equal, heel stabilizer, prefabricated, off-the-shelf, each
<b>L3208</b>	Surgical boot, each, infant
<b>L3209</b>	Surgical boot, each, child
<b>L3211</b>	Surgical boot, each, junior
<b>L3212</b>	Benesch boot, pair, infant
<b>L3213</b>	Benesch boot, pair, child
<b>L3214</b>	Benesch boot, pair, junior
<b>L3215</b>	Orthopedic footwear, ladies shoe, Oxford, each
<b>L3216</b>	Orthopedic footwear, ladies shoe, depth inlay, each
<b>L3217</b>	Orthopedic footwear, ladies shoe, hightop, depth inlay, each
<b>L3219</b>	Orthopedic footwear, mens shoe, Oxford, each
<b>L3221</b>	Orthopedic footwear, mens shoe, depth inlay, each
<b>L3222</b>	Orthopedic footwear, mens shoe, hightop, depth inlay, each
<b>L3224</b>	Orthopedic footwear, woman's shoe, Oxford, used as an integral part of a brace (orthosis)
<b>L3225</b>	Orthopedic footwear, man's shoe, Oxford, used as an integral part of a brace (orthosis)
<b>L3230</b>	Orthopedic footwear, custom shoe, depth inlay, each
<b>L3250</b>	Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each
<b>L3251</b>	Foot, shoe molded to patient model, silicone shoe, each
<b>L3252</b>	Foot, shoe molded to patient model, Plastazote (or similar), custom fabricated, each
<b>L3253</b>	Foot, molded shoe, Plastazote (or similar), custom fitted, each
<b>L3254</b>	Nonstandard size or width
<b>L3255</b>	Nonstandard size or length
<b>L3257</b>	Orthopedic footwear, additional charge for split size
<b>L3260</b>	Surgical boot/shoe, each

<b>L3265</b>	Plastazote sandal, each
<b>L3332</b>	Lift, elevation, inside shoe, tapered, up to one-half in
<b>L3334</b>	Lift, elevation, heel, per in
<b>L3480</b>	Heel, pad and depression for spur
<b>L3650</b>	Shoulder orthosis (SO), figure of eight design abduction restrainer, prefabricated, off-the-shelf
<b>L3660</b>	Shoulder orthosis (SO), figure of eight design abduction restrainer, canvas and webbing, prefabricated, off-the-shelf
<b>L3670</b>	Shoulder orthosis (SO), acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf
<b>L3671</b>	Shoulder orthosis (SO), shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3674</b>	Shoulder orthosis (SO), abduction positioning (airplane design), thoracic component and support bar, with or without nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3675</b>	Shoulder orthosis (SO), vest type abduction restrainer, canvas webbing type or equal, prefabricated, off-the-shelf
<b>L3677</b>	Shoulder orthosis (SO), shoulder joint design, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3678</b>	Shoulder orthosis (SO), shoulder joint design, without joints, may include soft interface, straps, prefabricated, off-the-shelf
<b>L3702</b>	Elbow orthosis (EO), without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3710</b>	Elbow orthosis (EO), elastic with metal joints, prefabricated, off-the-shelf
<b>L3720</b>	Elbow orthosis (EO), double upright with forearm/arm cuffs, free motion, custom-fabricated
<b>L3730</b>	Elbow orthosis (EO), double upright with forearm/arm cuffs, extension/ flexion assist, custom-fabricated
<b>L3740</b>	Elbow orthosis (EO), double upright with forearm/arm cuffs, adjustable position lock with active control, custom-fabricated
<b>L3760</b>	Elbow orthosis (EO), with adjustable position locking joint(s), prefabricated, item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3761</b>	Elbow orthosis (EO), with adjustable position locking joint(s), prefabricated, off-the-shelf
<b>L3762</b>	Elbow orthosis (EO), rigid, without joints, includes soft interface material, prefabricated, off-the-shelf
<b>L3763</b>	Elbow wrist hand orthosis (EWHO), rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

<b>L3764</b>	Elbow wrist hand orthosis (EWHO), includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3765</b>	Elbow wrist hand finger orthosis (EWHFO), rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3766</b>	Elbow wrist hand finger orthosis (EWHFO), includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3806</b>	Wrist hand finger orthosis (WHFO), includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, custom fabricated, includes fitting and adjustment
<b>L3807</b>	Wrist hand finger orthosis (WHFO), without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3808</b>	Wrist hand finger orthosis (WHFO), rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment
<b>L3809</b>	Wrist hand finger orthosis (WHFO), without joint(s), prefabricated, off-the-shelf, any type
<b>L3891</b>	Addition to upper extremity joint, wrist or elbow, concentric adjustable torsion style mechanism for custom fabricated orthotics only, each
<b>L3900</b>	Wrist hand finger orthosis (WHFO), dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, wrist or finger driven, custom-fabricated
<b>L3901</b>	Wrist hand finger orthosis (WHFO), dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, cable driven, custom-fabricated
<b>L3905</b>	Wrist hand orthosis (WHO), includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3906</b>	Wrist hand orthosis (WHO), without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3908</b>	Wrist hand orthosis (WHO), wrist extension control cock-up, nonmolded, prefabricated, off-the-shelf
<b>L3912</b>	Hand finger orthosis (HFO), flexion glove with elastic finger control, prefabricated, off-the-shelf
<b>L3913</b>	Hand finger orthosis (HFO), without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3915</b>	Wrist hand orthosis (WHO), includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3916</b>	Wrist hand orthosis (WHO), includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated, off-the-shelf



<b>L3917</b>	Hand orthosis (HO), metacarpal fracture orthosis, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3918</b>	Hand orthosis (HO), metacarpal fracture orthosis, prefabricated, off-the-shelf
<b>L3919</b>	Hand orthosis (HO), without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3921</b>	Hand finger orthosis (HFO), includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3923</b>	Hand finger orthosis (HFO), without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3924</b>	Hand finger orthosis (HFO), without joints, may include soft interface, straps, prefabricated, off-the-shelf
<b>L3925</b>	Finger orthosis (FO), proximal interphalangeal (PIP)/distal interphalangeal (DIP), non-torsion joint/spring, extension/flexion, may include soft interface material, prefabricated, off-the-shelf
<b>L3927</b>	Finger orthosis (FO), proximal interphalangeal (PIP)/distal interphalangeal (DIP), without joint/spring, extension/flexion (e.g., static or ring type), may include soft interface material, prefabricated, off-the-shelf
<b>L3929</b>	Hand finger orthosis (HFO), includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L3930</b>	Hand finger orthosis (HFO), includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, off-the-shelf
<b>L3931</b>	Wrist hand finger orthosis (WHFO), includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment
<b>L3933</b>	Finger orthosis (FO), without joints, may include soft interface, custom fabricated, includes fitting and adjustment
<b>L3935</b>	Finger orthosis (FO), nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment
<b>L3956</b>	Addition of joint to upper extremity orthosis, any material; per joint
<b>L3960</b>	Shoulder elbow wrist hand orthosis (SEWHO), abduction positioning, airplane design, prefabricated, includes fitting and adjustment
<b>L3961</b>	Shoulder elbow wrist hand orthosis (SEWHO), shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3962</b>	Shoulder elbow wrist hand orthosis (SEWHO), abduction positioning, erbs palsey design, prefabricated, includes fitting and adjustment

<b>L3967</b>	Shoulder elbow wrist hand orthosis (SEWHO), abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3967</b>	Shoulder elbow wrist hand orthosis (SEWHO), abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3971</b>	Shoulder elbow wrist hand orthosis (SEWHO), shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3973</b>	Shoulder elbow wrist hand orthosis (SEWHO), abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3975</b>	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3976</b>	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3977</b>	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3978</b>	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
<b>L3980</b>	Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment
<b>L3981</b>	Upper extremity fracture orthosis, humeral, prefabricated, includes shoulder cap design, with or without joints, forearm section, may include soft interface, straps, includes fitting and adjustments
<b>L3982</b>	Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment
<b>L3984</b>	Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment
<b>L3995</b>	Addition to upper extremity orthosis, sock, fracture or equal, each
<b>L3999</b>	Upper limb orthosis, not otherwise specified
<b>L4000</b>	Replace girdle for spinal orthosis (Cervical-thoracic-lumbar-sacral orthosis (CTL SO) or Shoulder orthosis (SO))
<b>L4002</b>	Replacement strap, any orthosis, includes all components, any length, any type
<b>L4010</b>	Replace trilateral socket brim
<b>L4020</b>	Replace quadrilateral socket brim, molded to patient model
<b>L4030</b>	Replace quadrilateral socket brim, custom fitted

<b>L4040</b>	Replace molded thigh lacer, for custom fabricated orthosis only
<b>L4045</b>	Replace non-molded thigh lacer, for custom fabricated orthosis only
<b>L4050</b>	Replace molded calf lacer, for custom fabricated orthosis only
<b>L4055</b>	Replace non-molded calf lacer, for custom fabricated orthosis only
<b>L4060</b>	Replace high roll cuff
<b>L4070</b>	Replace proximal and distal upright for KAFO
<b>L4080</b>	Replace metal bands KAFO, proximal thigh
<b>L4090</b>	Replace metal bands KAFO-AFO, calf or distal thigh
<b>L4100</b>	Replace leather cuff KAFO, proximal thigh
<b>L4110</b>	Replace leather cuff KAFO-AFO, calf or distal thigh
<b>L4130</b>	Replace pretibial shell
<b>L4205</b>	Repair of orthotic device, labor component, per 15 minutes
<b>L4210</b>	Repair of orthotic device, repair or replace minor parts
<b>L4350</b>	Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, off-the-shelf
<b>L4360</b>	Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L4361</b>	Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated, off-the-shelf
<b>L4370</b>	Pneumatic full leg splint, prefabricated, off-the-shelf
<b>L4386</b>	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L4387</b>	Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, off-the-shelf
<b>L4392</b>	Replacement, soft interface material, static AFO
<b>L4394</b>	Replace soft interface material, foot drop splint
<b>L4396</b>	Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise
<b>L4397</b>	Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated, off-the-shelf
<b>L4398</b>	Foot drop splint, recumbent positioning device, prefabricated, off-the-shelf
<b>L4631</b>	Ankle foot orthosis (AFO), walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated
<b>S1040</b>	Cranial remolding orthotic, pediatric, rigid, with soft interface material, custom fabricated, includes fitting and adjustment(s)

Non-Covered HCPCS Codes

<b>L2006</b>	Knee ankle foot device, any material, single or double upright, swing and stance phase microprocessor control with adjustability, includes all components (e.g., sensors, batteries, charger), any type activation, with or without ankle joint(s), custom fabricated
<b>L3300</b>	Lift, elevation, heel, tapered to metatarsals, per in
<b>L3310</b>	Lift, elevation, heel and sole, neoprene, per in
<b>L3320</b>	Lift, elevation, heel and sole, cork, per in
<b>L3330</b>	Lift, elevation, metal extension (skate)
<b>L3340</b>	Heel wedge, SACH
<b>L3350</b>	Heel wedge
<b>L3360</b>	Sole wedge, outside sole
<b>L3370</b>	Sole wedge, between sole
<b>L3380</b>	Clubfoot wedge
<b>L3390</b>	Outflare wedge
<b>L3400</b>	Metatarsal bar wedge, rocker
<b>L3410</b>	Metatarsal bar wedge, between sole
<b>L3420</b>	Full sole and heel wedge, between sole
<b>L3430</b>	Heel, counter, plastic reinforced
<b>L3440</b>	Heel, counter, leather reinforced
<b>L3450</b>	Heel, SACH cushion type
<b>L3455</b>	Heel, new leather, standard
<b>L3460</b>	Heel, new rubber, standard
<b>L3465</b>	Heel, Thomas with wedge
<b>L3470</b>	Heel, Thomas extended to ball
<b>L3485</b>	Heel, pad, removable for spur
<b>L3500</b>	Orthopedic shoe addition, insole, leather
<b>L3510</b>	Orthopedic shoe addition, insole, rubber
<b>L3520</b>	Orthopedic shoe addition, insole, felt covered with leather
<b>L3530</b>	Orthopedic shoe addition, sole, half
<b>L3540</b>	Orthopedic shoe addition, sole, full
<b>L3550</b>	Orthopedic shoe addition, toe tap, standard
<b>L3560</b>	Orthopedic shoe addition, toe tap, horseshoe
<b>L3570</b>	Orthopedic shoe addition, special extension to instep (leather with eyelets)
<b>L3580</b>	Orthopedic shoe addition, convert instep to Velcro closure
<b>L3590</b>	Orthopedic shoe addition, convert firm shoe counter to soft counter
<b>L3595</b>	Orthopedic shoe addition, March bar
<b>L3600</b>	Transfer of an orthosis from one shoe to another, caliper plate, existing
<b>L3610</b>	Transfer of an orthosis from one shoe to another, caliper plate, new
<b>L3620</b>	Transfer of an orthosis from one shoe to another, solid stirrup, existing
<b>L3630</b>	Transfer of an orthosis from one shoe to another, solid stirrup, new

<b>L3640</b>	Transfer of an orthosis from one shoe to another, Dennis Browne splint (Riveton), both shoes
<b>L3649</b>	Orthopedic shoe, modification, addition or transfer, not otherwise specified
<b>L3050</b>	Foot, arch support, removable, premolded, metatarsal, each
<b>L3070</b>	Foot, arch support, nonremovable, attached to shoe, longitudinal, each
<b>L3080</b>	Foot, arch support, nonremovable, attached to shoe, metatarsal, each
<b>L3090</b>	Foot, arch support, nonremovable, attached to shoe, longitudinal/metatarsal, each
<b>L3904</b>	Wrist hand finger orthosis (WHFO), external powered, electric, custom-fabricated

## References:

1. 2025 HCPCS Level II Expert – Optum 360°
2. Deems-Dluhy S, et al. Microprocessor controlled knee ankle foot orthosis (KAFO) vs stance control vs locked KAFO: A randomized controlled trial. Arch Phys Med Rehabil 2021 Feb;102(2):233-244.
3. Medically Unlikely Edits Table – CMS <https://www.cms.gov/Medicare/Coding/NationalCorrectCodInitEd/MUE.html>
4. Noridian Place of Service Table <https://med.noridianmedicare.com/web/ieb/topics/claim-submission/pos>
5. Pundik S, et al. Myoelectric arm orthosis in motor learning-based therapy for chronic deficits after stroke and traumatic brain injury. Front Neurol 2022 Feb;13:791144.
6. Rogers H, et al. Robot-assisted training compared with an enhanced upper limb therapy program and with usual care for upper limb functional limitation after stroke: the RATULS three-group RCT. Health Technol Assess 2020 Oct;24(54):1232.
7. Tamburella F, et al. Overground robotic training effects on walking and secondary health conditions in individuals with spinal cord injury: systematic review. J Neuroeng Rehabil 2022 Mar;19(1):27.
8. Winstein CJ, et al. Guidelines for Adult Stroke Rehabilitation and Recovery: A Guideline for Healthcare Professionals from the American Heart Association/American Stroke Association. Stroke 2016 Jun;47(6):e98-e169.

## Disclaimer:

This document is for informational purposes only and should not be relied on in the diagnosis and care of individual patients. Medical and Coding/Reimbursement policies do not constitute medical advice, plan preauthorization, certification, an explanation of benefits, or a contract. Members should consult with appropriate health care providers to obtain needed medical advice, care, and treatment. Benefits and eligibility are determined before medical guidelines and payment guidelines are applied. Benefits are determined by the member's individual benefit plan that is in effect at the time services are rendered.

The codes for treatments and procedures applicable to this policy are included for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement. Provisions and terms of the provider contract may supersede this policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

U of U Health Plans makes no representations and accepts no liability with respect to the content of any external information cited or relied upon in this policy. U of U Health Plans updates its Coverage Policies regularly, and reserves the right to amend these policies and give notice in accordance with State and Federal requirements.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from U of U Health Plans.

"University of Utah Health Plans" and its accompanying logo, and its accompanying marks are protected and registered trademarks of the provider of this Service and or University of Utah Health. Also, the content of this Service is proprietary and is protected by copyright. You may access the copyrighted content of this Service only for purposes set forth in these Conditions of Use.

© CPT Only – American Medical Association